



# 36 trumpas



<b>DISTANCE:</b>	<b>36 FEET</b>	<b>VOLUME:</b>	<b>26.3 mL</b>
<b>RATIO:</b>	<b>2.43:1</b>	<b>FORWARD:</b>	<b>18.2 mL</b>
<b>DROP BRUSH:</b>	<b>27 FEET</b>	<b>REVERSE:</b>	<b>8.1 mL</b>
<b>TANKS:</b>	<b>FIRE</b>	<b>PUMP:</b>	<b>50µL</b>



### FORWARD LOADS DATA


#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	1	50	14	3	A - KEGEL	0 → 0	1,850
2	3L	3R	2	50	14	3	A - KEGEL	0 → 4	3,500
3	4L	4R	1	50	18	3	A - KEGEL	4 → 6	1,650
4	5L	5R	2	50	18	3	A - KEGEL	6 → 11	3,100
5	6L	6R	2	50	18	3	A - KEGEL	11 → 17	2,900
6	7L	7R	2	50	18	3	A - KEGEL	17 → 22	2,700
7	8L	8R	2	50	18	3	A - KEGEL	22 → 27	2,500
8	2L	2R	0	50	22	3	A - KEGEL	27 → 36	0

### REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	30	3	A - KEGEL	27 → 24	0
2	8L	8R	2	50	18	3	A - KEGEL	24 → 19	2,500
3	7L	7R	2	50	18	3	A - KEGEL	19 → 14	2,700
4	6L	6R	2	50	18	3	A - KEGEL	14 → 9	2,900
5	2L	2R	0	50	18	3	A - KEGEL	9 → 0	0

**THIS PATTERN IS DESIGNED FOR:**  
REVERSE DROP BRUSH

*This pattern may require adjustments if using a lane machine that does not have these features*






# 37 trumpas



<b>DISTANCE:</b>	<b>37 FEET</b>	<b>VOLUME:</b>	<b>25.8 mL</b>
<b>RATIO:</b>	<b>2.50:1</b>	<b>FORWARD:</b>	<b>13.15 mL</b>
<b>DROP BRUSH:</b>	<b>35 FEET</b>	<b>REVERSE:</b>	<b>12.65 mL</b>
<b>TANKS:</b>	<b>FIRE</b>	<b>PUMP:</b>	<b>50µL</b>



## FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	2	50	18	3	A - KEGEL	0 → 3	3,700
2	5L	5R	2	50	18	3	A - KEGEL	3 → 8	3,100
3	7L	7R	3	50	18	3	A - KEGEL	8 → 15	4,050
4	9L	9R	2	50	18	3	A - KEGEL	15 → 20	2,300
5	2L	2R	0	50	22	3	A - KEGEL	20 → 30	0
6	2L	2R	0	50	26	3	A - KEGEL	30 → 37	0

## REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	26	3	A - KEGEL	35 → 32	0
2	10L	10R	2	50	22	3	A - KEGEL	32 → 26	2,100
3	8L	8R	2	50	22	3	A - KEGEL	26 → 20	2,500
4	6L	6R	2	50	18	3	A - KEGEL	20 → 15	2,900
5	4L	4R	2	50	18	3	A - KEGEL	15 → 10	3,300
6	2L	2R	1	50	14	3	A - KEGEL	10 → 8	1,850
7	2L	2R	0	50	14	3	A - KEGEL	8 → 0	0

**THIS PATTERN IS DESIGNED FOR:**

**REVERSE DROP BRUSH**


*This pattern may require adjustments if using a lane machine that does not have these features*



# 40 vidutinis



<b>DISTANCE:</b>	<b>40 FEET</b>	<b>VOLUME:</b>	<b>29.7 mL</b>
<b>RATIO:</b>	<b>2.08:1</b>	<b>FORWARD:</b>	<b>19.55 mL</b>
<b>DROP BRUSH:</b>	<b>39 FEET</b>	<b>REVERSE:</b>	<b>10.15 mL</b>
<b>TANKS:</b>	<b>FIRE</b>	<b>PUMP:</b>	<b>50µL</b>



### FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	5	50	14	3	A - FIRE	0 → 8	9,250
2	5L	5R	2	50	18	3	A - FIRE	8 → 13	3,100
3	6L	6R	1	50	18	3	A - FIRE	13 → 15	1,450
4	7L	7R	1	50	18	3	B - ICE	15 → 18	1,350
5	8L	8R	1	50	18	3	B - ICE	18 → 20	1,250
6	9L	9R	1	50	18	3	B - ICE	20 → 23	1,150
7	10L	10R	1	50	18	3	B - ICE	23 → 25	1,050
8	11L	11R	1	50	18	3	B - ICE	25 → 28	950
9	2L	2R	0	50	22	3	B - ICE	28 → 40	0

### REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	30	2	B - ICE	39 → 38	0
2	2L	2R	0	50	22	3	B - ICE	38 → 25	0
3	10L	10R	1	50	22	3	B - ICE	25 → 22	1,050
4	8L	8R	2	50	18	3	B - ICE	22 → 17	2,500
5	6L	6R	2	50	18	3	A - FIRE	17 → 12	2,900
6	2L	2R	2	50	14	3	A - FIRE	12 → 8	3,700
7	2L	2R	0	50	10	3	A - FIRE	8 → 0	0

### THIS PATTERN IS DESIGNED FOR:


VARIABLE BUFFER SPEEDS | DUAL CONDITIONING TANKS | REVERSE DROP BRUSH  
 This pattern may require adjustments if using a lane machine that does not have these features



# 42 vidutinis



<b>DISTANCE:</b>	<b>42 FEET</b>	<b>VOLUME:</b>	<b>27.4 mL</b>
<b>RATIO:</b>	<b>2.86:1</b>	<b>FORWARD:</b>	<b>15.05 mL</b>
<b>DROP BRUSH:</b>	<b>38 FEET</b>	<b>REVERSE:</b>	<b>12.35 mL</b>
<b>TANKS:</b>	<b>FIRE</b>	<b>PUMP:</b>	<b>50µL</b>



### FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	3	50	14	3	A - KEGEL	0 → 4	5,550
2	6L	6R	2	50	14	3	A - KEGEL	4 → 8	2,900
3	8L	8R	3	50	18	3	A - KEGEL	8 → 15	3,750
4	11L	11R	3	50	18	3	A - KEGEL	15 → 23	2,850
5	2L	2R	0	50	22	3	A - KEGEL	23 → 32	0
6	2L	2R	0	50	26	3	A - KEGEL	32 → 42	0


### REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	26	3	A - KEGEL	38 → 30	0
2	11L	11R	2	50	22	3	A - KEGEL	30 → 24	1,900
3	9L	9R	1	50	22	3	A - KEGEL	24 → 21	1,150
4	7L	7R	2	50	18	3	A - KEGEL	21 → 16	2,700
5	6L	6R	2	50	18	3	A - KEGEL	16 → 11	2,900
6	2L	2R	2	50	18	3	A - KEGEL	11 → 6	3,700
7	2L	2R	0	50	14	3	A - KEGEL	6 → 0	0

**THIS PATTERN IS DESIGNED FOR:**

**REVERSE DROP BRUSH**

*This pattern may require adjustments if using a lane machine that does not have these features*





# 44 ilgas



<b>DISTANCE:</b>	<b>44 FEET</b>	<b>VOLUME:</b>	<b>27.6 mL</b>
<b>RATIO:</b>	<b>2.63:1</b>	<b>FORWARD:</b>	<b>13.2 mL</b>
<b>DROP BRUSH:</b>	<b>38 FEET</b>	<b>REVERSE:</b>	<b>14.4 mL</b>
<b>TANKS:</b>	<b>FIRE</b>	<b>PUMP:</b>	<b>50µL</b>



### FORWARD LOADS DATA


#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	6	50	18	3	A - KEGEL	0 → 13	11,100
2	10L	10R	2	50	18	3	FIRE <sup>3</sup>		2,100
3	2L	2R	0	50	22	3		A - KEGEL	18 → 44

### REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	30	3	A - KEGEL	38 → 33	0
2	12L	12R	1	50	22	3	A - KEGEL	33 → 30	850
3	11L	11R	2	50	18	3	A - KEGEL	30 → 25	1,900
4	10L	10R	1	50	18	3	A - KEGEL	25 → 22	1,050
5	9L	9R	2	50	14	3	A - KEGEL	22 → 18	2,300
6	8L	8R	2	50	14	3	A - KEGEL	18 → 15	2,500
7	7L	7R	1	50	14	3	A - KEGEL	15 → 13	1,350
8	6L	6R	2	50	14	3	A - KEGEL	13 → 9	2,900
9	5L	5R	1	50	14	3	A - KEGEL	9 → 7	1,550
10	2L	2R	0	50	14	3	A - KEGEL	7 → 0	0

**THIS PATTERN IS DESIGNED FOR:**  
REVERSE DROP BRUSH

This pattern may require adjustments if using a lane machine that does not have these features






# 46 ilgas



<b>DISTANCE:</b>	<b>46 FEET</b>	<b>VOLUME:</b>	<b>27.45 mL</b>
<b>RATIO:</b>	<b>2.84:1</b>	<b>FORWARD:</b>	<b>11.25 mL</b>
<b>DROP BRUSH:</b>	<b>44 FEET</b>	<b>REVERSE:</b>	<b>16.2 mL</b>
<b>TANKS:</b>	<b>FIRE</b>	<b>PUMP:</b>	<b>50µL</b>



### FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	3	50	18	3	A - KEGEL	0 → 5	5,550
2	10L	10R	2	50	18	3	A - KEGEL	5 → 10	2,100
3	11L	11R	2	50	22	3	A - KEGEL	10 → 16	1,900
4	12L	12R	2	50	22	3	A - KEGEL	16 → 22	1,700
5	2L	2R	0	50	22	3	A - KEGEL	22 → 36	0
6	2L	2R	0	50	26	3	A - KEGEL	36 → 46	0

### REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	26	3	A - KEGEL	44 → 40	0
2	12L	12R	2	50	22	3	A - KEGEL	40 → 34	1,700
3	10L	10R	2	50	22	3	A - KEGEL	34 → 28	2,100
4	9L	9R	2	50	18	3	A - KEGEL	28 → 23	2,300
5	8L	8R	1	50	18	3	A - KEGEL	23 → 20	1,250
6	6L	6R	1	50	18	3	A - KEGEL	20 → 18	1,450
7	2L	2R	4	50	14	3	A - KEGEL	18 → 10	7,400
8	2L	2R	0	50	14	3	A - KEGEL	10 → 0	0

**THIS PATTERN IS DESIGNED FOR:**  
REVERSE DROP BRUSH

This pattern may require adjustments if using a lane machine that does not have these features

